

Table A1: Alcohol Consumption and Drug Use by Gender, Age, and Ethnicity: Honolulu, 1998

	Total		Gender				Age						Ethnicity									
	N=668,644		Male N=329,126		Female N=339,518		18-24 N=80,841		25-34 N=158,421		35 + N=429,382		Caucasian N=189,630		Japanese N=169,759		Hawaiian N=76,664		Filipino N=77,384		Other N=155,208	
	%	S.E.	%	S.E.	%	S.E.	%	S.E.	%	S.E.	%	S.E.	%	S.E.	%	S.E.	%	S.E.	%	S.E.		
Alcohol:																						
Use in last month	47.0	1.1	55.8	1.5	38.5	1.5	54.4	2.9	50.1	2.1	44.5	1.4	58.3	2.4	40.2	2.2	43.6	2.6	37.5	2.8	46.9	2.1
Heavy use	20.3	0.9	29.6	1.4	11.3	1.0	36.8	2.8	26.0	1.8	15.1	1.0	26.9	2.1	13.5	1.5	23.8	2.2	17.7	2.3	19.3	1.7
Drug use in last 18 months:																						
Marijuana:																						
Any use	6.0	0.5	7.6	0.8	4.5	0.6	21.4	2.4	6.2	1.0	3.0	0.5	8.1	1.3	2.9	0.8	11.5	1.7	3.0	1.1	5.6	1.0
Used > 1 or 2 times	3.6	0.4	5.0	0.7	2.3	0.5	12.5	2.0	4.1	0.8	1.8	0.4	4.8	1.0	1.2	0.5	8.1	1.4	1.9	0.9	3.5	0.8
Methamphetamine																						
Any use	0.6	0.2	0.9	0.3	0.3	0.2	3.5	1.1	0.3	0.3	0.1	0.1	0.5	0.3	0.2	0.2	1.5	0.6	0.0	0.0	1.0	0.4
Used > 1 or 2 times	0.4	0.1	0.5	0.2	0.3	0.2	2.1	0.8	0.2	0.2	0.1	0.1	0.5	0.3	0.2	0.2	1.0	0.5	0.0	0.0	0.2	0.2
Hallucinogens																						
Any use	1.0	0.2	1.3	0.4	0.7	0.2	2.0	0.9	1.3	0.4	0.7	0.2	1.1	0.5	0.5	0.3	1.5	0.6	0.8	0.6	1.2	0.5
Used > 1 or 2 times	0.6	0.2	0.8	0.2	0.4	0.2	0.8	0.6	1.2	0.4	0.3	0.1	0.9	0.4	0.2	0.2	0.5	0.4	0.2	0.3	0.7	0.3
Cocaine																						
Any use	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.0	0.0
Used > 1 or 2 times	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Heroin																						
Any use	0.8	0.2	0.9	0.3	0.7	0.3	1.7	0.8	1.8	0.6	0.3	0.2	0.5	0.3	1.2	0.5	2.1	0.7	0.5	0.5	0.4	0.2
Used > 1 or 2 times	0.6	0.2	0.6	0.3	0.6	0.2	1.1	0.7	1.6	0.6	0.1	0.1	0.5	0.3	0.6	0.4	1.5	0.6	0.5	0.5	0.2	0.2
Diagnosed abusing or dependent:																						
Alcohol only	7.4	0.6	7.3	0.8	7.4	0.8	14.7	2.1	6.6	1.1	6.3	0.7	11.4	1.6	3.3	0.8	11.3	1.6	3.7	1.2	6.8	1.0
Drug only	1.2	0.2	1.3	0.4	1.1	0.3	0.3	0.3	2.6	0.6	0.9	0.3	2.2	0.7	0.8	0.4	1.5	0.6	0.2	0.3	1.0	0.4
Alcohol & drug	0.7	0.2	0.8	0.2	0.7	0.2	0.0	0.0	2.2	0.6	0.3	0.1	1.8	0.6	0.2	0.2	0.5	0.4	0.0	0.0	0.5	0.3

Table A2: Alcohol Consumption and Drug Use by Gender, Age, and Ethnicity: Hawaii County, 1998

	Total		Gender				Age						Ethnicity									
	N=99,941		Male N=47,191		Female N=52,750		18-24 N=9,422		25-34 N=18,280		35 + N=72,238		Caucasian N=35,376		Japanese N=21,487		Hawaiian N=16,244		Filipino N=9,199		Other N=17,635	
	%	S.E.	%	S.E.	%	S.E.	%	S.E.	%	S.E.	%	S.E.	%	S.E.	%	S.E.	%	S.E.	%	S.E.	%	S.E.
Alcohol:																						
Use in last month	50.8	1.6	60.1	2.3	42.5	2.2	61.7	5.4	52.2	4.0	49.1	1.9	61.2	3.2	45.7	3.6	38.9	3.2	40.2	5.1	52.9	3.4
Heavy use	24.2	1.4	37.6	2.3	12.3	1.5	56.0	5.5	28.6	3.8	19.0	1.5	22.2	2.7	24.6	3.1	30.3	3.0	17.5	3.9	25.9	3.0
Drug use in last 18 months:																						
Marijuana:																						
Any use	11.2	1.0	17.1	1.7	5.9	1.0	30.2	4.9	11.2	2.4	8.7	1.0	16.9	2.4	4.4	1.6	8.8	1.9	6.8	2.6	12.5	2.3
Used > 1 or 2 times	8.1	0.9	13.2	1.5	3.7	0.8	18.1	4.0	7.7	2.1	7.0	0.9	12.7	2.2	2.4	1.2	6.6	1.7	3.5	1.9	9.9	2.1
Methamphetamine																						
Any use	1.1	0.3	2.0	0.6	0.3	0.3	5.3	2.0	0.6	0.6	0.7	0.3	1.7	0.7	0.0	0.0	1.2	0.7	0.0	0.0	1.7	0.8
Used > 1 or 2 times	0.6	0.2	1.2	0.4	0.1	0.2	4.6	1.7	0.0	0.0	0.3	0.2	1.3	0.6	0.0	0.0	0.5	0.4	0.0	0.0	0.6	0.5
Hallucinogens																						
Any use	1.7	0.4	1.9	0.6	1.5	0.6	2.9	2.0	4.5	1.6	0.8	0.3	1.7	0.7	0.5	0.5	2.4	1.0	0.0	0.0	3.5	1.2
Used > 1 or 2 times	1.0	0.3	1.3	0.4	0.7	0.4	0.0	0.0	3.5	1.3	0.5	0.3	1.3	0.6	0.0	0.0	0.9	0.6	0.0	0.0	2.2	0.9
Cocaine																						
Any use	0.2	0.1	0.2	0.2	0.2	0.2	0.0	0.0	1.2	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.7
Used > 1 or 2 times	0.1	0.1	0.0	0.0	0.2	0.2	0.0	0.0	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.5
Heroin																						
Any use	1.1	0.3	1.5	0.6	0.7	0.4	4.0	2.3	2.1	1.3	0.4	0.2	0.4	0.4	0.0	0.0	1.9	0.9	2.4	1.5	2.3	0.9
Used > 1 or 2 times	0.7	0.3	0.9	0.5	0.4	0.3	2.9	2.0	2.1	1.3	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.9	1.4	1.1	1.2	0.7
Diagnosed abusing or dependent:																						
Alcohol only	9.7	0.9	12.2	1.5	7.4	1.1	17.7	4.4	15.2	2.9	7.2	1.0	10.4	2.0	9.0	2.1	10.9	2.0	9.6	3.0	8.0	1.8
Drug only	2.5	0.5	3.4	0.9	1.7	0.6	2.7	2.0	3.9	1.7	2.1	0.5	3.6	1.3	0.8	0.8	2.7	1.0	0.0	0.0	3.5	1.2
Alcohol & drug	1.0	0.3	1.9	0.6	0.2	0.2	0.7	1.2	1.0	0.9	1.0	0.3	1.9	1.0	0.0	0.0	1.2	0.7	0.0	0.0	0.6	0.5

Table A3: Alcohol Consumption and Drug Use by Gender, Age, and Ethnicity: Kauai, 1998

	Total		Gender				Age						Ethnicity									
	N=41,304		Male N=19,792		Female N=21,512		18-24 N=4,320		25-34 N=7,976		35 + N=29,008		Caucasian N=13,295		Japanese N=7,805		Hawaiian N=6,420		Filipino N=7,585		Other N=6,198	
	%	S.E.	%	S.E.	%	S.E.	%	S.E.	%	S.E.	%	S.E.	%	S.E.	%	S.E.	%	S.E.	%	S.E.	%	S.E.
Alcohol:																						
Use in last month	47.2	1.6	56.9	2.4	38.2	2.1	52.1	5.1	58.5	4.0	43.3	1.9	64.4	3.4	32.4	3.6	41.3	3.6	31.0	3.5	54.8	3.7
Heavy use	19.9	1.3	31.0	2.2	9.7	1.3	31.1	4.6	29.9	3.5	15.5	1.4	25.2	2.8	12.5	2.6	20.4	2.9	14.2	2.7	24.2	3.0
Drug use in last 18 months:																						
Marijuana:																						
Any use	9.9	0.9	14.7	1.7	5.4	0.9	28.4	4.6	13.6	2.3	6.1	0.9	15.7	2.3	2.8	1.5	10.1	2.1	5.0	1.8	12.1	2.3
Used > 1 or 2 times	6.6	0.8	10.7	1.5	2.8	0.6	18.8	4.0	10.0	1.9	3.8	0.7	10.1	1.9	2.3	1.3	6.5	1.7	2.9	1.5	8.8	2.0
Methamphetamine																						
Any use	1.3	0.3	2.8	0.7	0.0	0.0	3.2	2.0	2.7	0.9	0.7	0.3	2.5	0.9	0.2	0.6	0.6	0.5	0.4	0.6	2.1	1.0
Used > 1 or 2 times	0.4	0.2	0.8	0.4	0.0	0.0	0.0	0.0	0.6	0.6	0.4	0.2	0.8	0.7	0.0	0.0	0.0	0.0	0.0	0.8	0.6	
Hallucinogens																						
Any use	2.3	0.5	3.5	0.8	1.2	0.4	5.8	2.2	3.9	1.4	1.4	0.4	4.1	1.2	0.6	0.6	1.7	0.9	1.3	1.0	2.7	1.1
Used > 1 or 2 times	1.2	0.4	2.2	0.7	0.4	0.3	2.8	1.7	1.0	0.9	1.1	0.4	2.1	1.0	0.0	0.0	1.7	0.9	0.4	0.6	1.5	0.8
Cocaine																						
Any use	0.2	0.2	0.3	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.3	0.2	0.4	0.5	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0
Used > 1 or 2 times	0.2	0.2	0.3	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.3	0.2	0.4	0.5	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0
Heroin																						
Any use	0.6	0.3	1.3	0.6	0.0	0.0	1.7	1.4	0.6	0.6	0.5	0.3	0.4	0.5	0.0	0.0	1.3	0.8	0.4	0.6	1.3	0.8
Used > 1 or 2 times	0.2	0.2	0.4	0.3	0.0	0.0	0.9	1.0	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.5	0.0	0.0	0.8	0.6
Diagnosed abusing or dependent:																						
Alcohol only	6.0	0.8	6.4	1.2	5.6	1.0	8.8	2.9	4.3	1.6	6.0	0.9	9.7	2.2	1.5	1.0	4.7	1.5	3.7	1.5	7.7	1.9
Drug only	1.9	0.4	2.8	0.7	1.2	0.5	6.1	2.0	1.3	1.1	1.5	0.5	2.8	1.0	0.6	0.6	3.8	1.4	0.8	0.8	1.0	0.8
Alcohol & drug	0.8	0.3	0.9	0.5	0.7	0.4	0.7	1.0	0.4	0.6	0.9	0.4	0.8	0.7	0.6	0.6	1.4	0.9	0.4	0.6	0.6	0.6

Table A4: Alcohol Consumption and Drug Use by Gender, Age, and Ethnicity: Maui, 1998

	Total		Gender				Age						Ethnicity										
	N=85,525		Male		Female		18-24		25-34		35 +		Caucasian		Japanese		Hawaiian		Filipino				
	%	S.E.	%	S.E.	%	S.E.	%	S.E.	%	S.E.	%	S.E.	%	S.E.	%	S.E.	%	S.E.	%	S.E.	%	S.E.	
Alcohol:																							
Use in last month	48.6	1.6	59.1	2.3	38.9	2.1	51.8	4.5	49.9	3.4	47.8	1.9	63.1	2.8	40.8	4.1	42.8	3.6	26.6	4.0	50.9	3.2	
Heavy use	23.1	1.3	34.6	2.2	12.3	1.5	39.3	4.5	29.6	3.1	18.9	1.5	26.1	2.6	18.6	3.2	28.1	3.3	16.1	3.5	22.5	2.7	
Drug use in last 18 months:																							
Marijuana:																							
Any use	12.6	1.1	16.0	1.7	9.4	1.3	40.4	4.4	16.3	2.4	7.5	1.1	17.2	2.2	1.9	1.2	13.5	2.6	6.7	2.7	17.7	2.4	
Used > 1 or 2 times	9.4	0.9	12.5	1.5	6.6	1.1	31.2	4.1	11.0	2.0	5.8	0.9	14.4	2.0	0.7	0.7	10.1	2.2	3.8	2.1	11.9	2.0	
Methamphetamine																							
Any use	0.9	0.3	1.3	0.5	0.6	0.3	0.0	0.0	3.4	1.1	0.4	0.2	1.8	0.8	0.0	0.0	0.0	0.0	1.3	1.1	0.5	0.4	
Used > 1 or 2 times	0.7	0.2	1.0	0.4	0.4	0.3	0.0	0.0	2.9	1.0	0.2	0.2	1.4	0.7	0.0	0.0	0.0	0.0	0.6	0.8	0.5	0.4	
Hallucinogens																							
Any use	1.9	0.4	2.4	0.7	1.5	0.5	4.7	2.0	4.3	1.3	0.9	0.4	2.8	1.0	0.0	0.0	2.1	1.0	1.3	1.3	2.4	0.9	
Used > 1 or 2 times	0.4	0.2	0.3	0.3	0.5	0.3	0.5	0.8	0.4	0.5	0.3	0.2	0.7	0.5	0.0	0.0	0.0	0.0	0.3	0.8	0.5	0.4	
Cocaine																							
Any use	0.2	0.1	0.3	0.3	0.0	0.0	0.0	0.0	0.8	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.0	0.0	0.5	0.4	
Used > 1 or 2 times	0.1	0.1	0.2	0.2	0.0	0.0	0.0	0.0	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.4	
Heroin																							
Any use	1.2	0.4	1.1	0.6	1.3	0.5	5.9	2.4	1.6	0.9	0.4	0.3	0.3	0.3	0.0	0.0	0.0	2.8	1.3	1.6	1.5	2.3	0.9
Used > 1 or 2 times	0.6	0.3	0.5	0.4	0.6	0.4	4.1	2.0	0.4	0.5	0.1	0.2	0.0	0.0	0.0	0.0	1.9	1.0	1.3	1.3	0.5	0.4	
Diagnosed abusing or dependent:																							
Alcohol only	8.8	0.9	9.4	1.4	8.2	1.2	12.0	2.9	11.7	2.2	7.5	1.0	12.8	2.0	3.6	1.5	12.2	2.4	2.1	1.5	8.1	1.7	
Drug only	2.7	0.5	3.5	0.8	2.0	0.6	5.6	2.0	4.0	1.3	1.9	0.5	3.6	1.1	2.8	1.4	3.0	1.3	1.4	1.1	1.7	0.8	
Alcohol & drug	0.8	0.3	1.1	0.5	0.4	0.3	0.5	0.8	0.5	0.5	0.9	0.3	1.7	0.8	0.0	0.0	0.6	0.5	0.3	0.8	0.0	0.0	